

AGRIUM/CONDA
CBI Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
A	AGR-CBI	003846	003850		Diagrams/ Drawings	Agrium Conda Phosphate Operations		Various Plant Diagrams/Drawings including: CPO Basic Flows; General Plant- Plant Layout; General Plant Storage Locations Process Areas; General Plant Battery Limits Process Areas; and General Plant Property Boundary Plant Overview	RCRA 3	Tech Services	Tech Services
B	AGR-CBI	003851	003853		Diagrams/ Drawings	Agrium Conda Phosphate Operations		Diagrams/Drawings re: North End P&ID's including: Rock Grinding Mill #1 P&ID; and Rock Grinding Mill #2 P&ID	RCRA 4	Tech Services	Tech Services
B	AGR-CBI	003854	003911		Diagrams/ Drawings	Agrium Conda Phosphate Operations		Various Plant Diagrams/Drawings re: Phosphoric Acid Plant and PPA Evap. P&ID's	RCRA 4	Tech Services	Tech Services
B	AGR-CBI	003912	003941		Diagrams/ Drawings	Agrium Conda Phosphate Operations		Various Plant Diagrams/Drawings re: Granulation P&ID's including: Granulation Scrubbing MOD's	RCRA 4	Tech Services	Tech Services
C	AGR-CBI	000001	000001		File Cover			File cover sheet, "Sulfuric East Plant" (documents located at AGR-CBI 00001- 000480)	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000002	000002		File Cover			Sub-File cover sheet, "Shut Downs" (documents located at AGR-CBI 00002- 000049)	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000003	000005	11/8/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Cooling Tower Fans Normal Shutdown	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000006	000009	11/15/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Normal Shutdown of The Absorbing Tower Pumps (East or West) East Sulfuric-Acid System-01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000010	000014	11/15/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Normal Shutdown of The Drying Tower Pump, East Sulfuric-Acid System-01	RCRA 5	Operations	West, Jerry/ Martinez, Willie

AGRIUM/CONDA
CBI Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
C	AGR-CBI	000015	000018	11/15/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Normal Shutdown of The Tailgas Pumps (North or South) East Sulfuric-Acid System-01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000019	000022	11/8/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Normal Shutdown of the 2000 Hp. Booster Blower	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000023	000025	11/8/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Normal Shutdown of the Decarbonator Fans (#1 or #2 System) East Sulfuric-Treated/Raw Water System-01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000026	000028	11/8/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Cooling Tower Pumps Normal Shutdown ("A", "B" or "C" Pumps) East Sulfuric-General- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000029	000031	11/18/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Normal Shutdown of the Sulfur Pit Transfer Pumps, East Sulfuric-Sulfur Feed System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000032	000035	11/22/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Normal Shut Down of the Terry Turbine, East Sulfuric- General- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000036	000043	12/3/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Preventing Water Hammer of the Boiler Feed Water System (During Plant Shutdown) East Sulfuric- General- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000044	000046	11/8/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Cooling Tower Fans Emergency Shutdown (North or South Fan), East Sulfuric-General- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000047	000049	11/8/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Cooling Tower Fans Normal Shutdown (North or South Fan), East Sulfuric-General- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000050	000050		File Cover			Sub-File cover sheet, "Start-Ups" (documents located at AGR-CBI 000050-000103)	RCRA 5	Operations	West, Jerry/ Martinez, Willie

AGRIUM/CONDA
CBI Document Production Index
In Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
C	AGR-CBI	000051	000054	11/8/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Normal Startup of the Boiler Feed Pumps. (East or West Pump), East Sulfuric- Treated/Raw Water System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000055	000057	11/8/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Normal Startup of the Decarbonator Fans (#1 or #2 System), East Sulfuric-Treated/Raw Water System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000058	000062	11/8/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Normal Startup of the 2000 Hp. Booster Blower, East Sulfuric-General- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000063	000066	11/15/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Normal Startup of the Drying Tower Pump, East Sulfuric-Acid System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000067	000070	11/16/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Starting The Cooler Drain Pump, East Sulfuric- Acid System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000071	000074	11/15/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Normal Startup of the Tailgas Pumps (North or South), East Sulfuric-Acid System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000075	000078	11/15/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Normal Startup of the Absorbing Tower Pumps, (East or West), East Sulfuric-Acid System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000079	000082	11/8/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Cooling Tower Pumps Normal Start Up ("A", "B", "C" pumps) East Sulfuric-General- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000083	000086	11/8/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Cooling Tower Fans Normal Startup (North or South Fan) East Sulfuric-General- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000087	000090	11/18/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Normal Startup of the Sulfur Pit Transfer Pumps, East Sulfuric-General- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie

AGRIUM/CONDA
CBI Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
C	AGR-CBI	000091	000095	11/22/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Normal Startup of the Terry Turbine, East Sulfuric-General- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000096	000099	11/16/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Starting The Cooler Drain Pump, East Sulfuric- Acid System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000100	000103	11/8/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Cooling Tower Fans Normal Startup (North or South Fan) East Sulfuric-General- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000104	000104		File Cover			Sub-File cover sheet, "Normal Operations" (documents located at AGR-CBI 000104- 000260)	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000105	000109	11/15/04	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Regenerating/Changing For Service A, B or C cation Water Units, East Sulfuric-Treated/Raw Water System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000110	000117	11/3/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Normal Operating Procedure for Operator Expectations, East Sulfuric- General- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000118	000123	11/16/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Regenerating D Cation Water Unit, East Sulfuric-Treated/Raw Water System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000124	000127	11/22/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Adjusting Dampers, East Sulfuric- General- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000128	000132	12/2/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Pressuring Up the 125# Sulfur Feed Line Heating System, East Sulfuric-Steam System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000133	000137	11/16/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Regenerating C Anion Water Unit, East Sulfuric-Treated/Raw Water System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie

AGRIUM/CONDA
CBI Document Production Index
In Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
C	AGR-CBI	000138	000144	11/17/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Pressure Checking The #1 Waste Heat Boiler (#1 WHB), East Sulfuric-General- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000145	000149	12/2/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Pressuring Up the 125# Sulfur Car Heating System, East Sulfuric-Steam System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000150	000154	11/16/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Regenerating/Changing For Service A, B or C anion Water Units, East Sulfuric-Treated/Raw Water System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000155	000164	12/3/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Drying Tower Entry For Inspection, East Sulfuric-General- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000165	000170	11/16/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Circulating Acid Through #1 Absorbing Tower and Common Cooler, East Sulfuric-Acid System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000171	000180	12/3/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric #2 Absorbing Tower Entry For Tower Inspection, East Sulfuric-Acid System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000181	000186	11/16/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Filling The #2 98% Acid Pump Tank, East Sulfuric-Acid System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000187	000193	11/4/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Normal Operating Procedure for Operator Expectations, East Sulfuric-General- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000194	000199	11/16/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Filling The #1 98% Acid Pump Tank, East Sulfuric-Acid System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000200	000209	12/1/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric #1 Absorbing Tower Entry For Inspection, East Sulfuric-General- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie

AGRIUM/CONDA
CBI Document Production Index
In Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
C	AGR-CBI	000210	000216	12/2/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Pressuring Up the 125# Steam System, East Sulfuric-Steam System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000217	000222	11/17/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Pressure Testing The #2 West Heat Boiler (#2 WHB), East Sulfuric-General- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000223	000228	11/18/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Circulating Acid Through Final Acid Tower (F.A.T.) Cooler and #2 Absorbing Tower, East Sulfuric-Acid System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000229	000235	11/18/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Breaking Sulfur Car Domes, East Sulfuric- General- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000236	000241	12/3/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Preventing Water Hammer of the Boiler Feed Water System (During Plant Startup), East Sulfuric-General- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000242	000248	9/6/2005	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Preparing and Unloading a Sulfur Car, East Sulfuric-Steam System- 02	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000249	000255	11/8/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Unloading Bulk Chemical Trucks, East Sulfuric-Treated/Raw Water System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000256	000260	11/29/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Pressuring Up the 250# High Pressure Steam System, East Sulfuric-Steam System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000261	000261		File Cover			Sub-File cover sheet, "Normal Operations" (documents located at AGR-CBI 000261- 000480)	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000262	000268	12/1/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Pressuring Up the 30# Steam System, East Sulfuric-Steam System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie

AGRIUM/CONDA
CBI Document Production Index
In Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
C	AGR-CBI	000269	000272	11/8/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Normal Filling of the Nalco 1720 Chemical Tote, East Sulfuric-Treated/Raw Water System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000273	000277	11/23/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric, Sulfuric Acid Strength Determination (Acid Samples), East Sulfuric-Acid System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000278	000282	11/15/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Filling The Economizer, East Sulfuric- Treated/Raw Water System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000283	000287	11/16/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Draining the #1 Waste Heat Boiler, East Sulfuric- General- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000288	000292	12/2/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Pressuring Up the 5# Steam System, East Sulfuric- Steam System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000293	000296	11/15/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Washing The Terry Turbine Fan, East Sulfuric- General- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000297	000301	11/22/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Sample/Analyze Boiler Feed Water M- Alkalinity, East Sulfuric-Treated/Raw Water System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000302	000305	11/22/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Maintaining Water Levels of the Waste Heat Boilers (#1 or #2), East Sulfuric-General- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000306	000309	11/23/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Sample/Analyze Cooling Tower Water Calcium Hardness, East Sulfuric-Treated/Raw Water System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000310	000314	11/22/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Switching From Primary to Secondary Oil Filter System (Terry Turbine), East Sulfuric- General- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie

AGRIUM/CONDA
CBI Document Production Index
In Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
C	AGR-CBI	000315	000318	11/8/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Blowing Down the Waste Heat Boilers (#1 or #2), East Sulfuric-General- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000319	000322	11/22/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Sample/Analyze Cation Water Unit Free Mineral Acidity (FMA), East Sulfuric- Treated/Raw Water System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000323	000327	12/2/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Pressuring Up the Steam Tracing System East Sulfuric-Steam System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000328	000331	12/2/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Normal Adjustments to the 5# Steam System, East Sulfuric-Steam System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000332	000335	11/22/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Controlling the Cooling Tower pH, East Sulfuric-Acid System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000336	000340	11/22/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Transfer From #2 98% Tank to #1 98% Tank, East Sulfuric-Acid System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000341	000344	11/22/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Sample/Analyze Waste Heat Boiler Water SO3 (Sulfite) Levels (#1 or #2), East Sulfuric- Treated/Raw Water System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000345	000348	11/22/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Sample/Analyze Waste Heat Boiler Water Total Dissolved Solids (TDS) (#1 or #2), East Sulfuric-Treated/Raw Water System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000349	000352	12/2/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Normal Adjustments to the 250# High Pressure Steam System-Steam System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie

AGRIUM/CONDA
CBI Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
C	AGR-CBI	000353	000357	11/16/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Draining the Deprecator Tank, East Sulfuric- General- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000358	000361	11/22/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Adjusting the Terry Turbine Oil Coolers, East Sulfuric-General- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000362	000365	11/22/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Sample/Analyze Waste Heat Boiler Water OH- Alkalinity (#1 or #2), East Sulfuric- Treated/Raw Water System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000366	000369	11/16/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Filling The Deprecator Tank, East Sulfuric- General- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000370	000373	11/17/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Draining the #2 Waste Heat Boiler (32 WHB), East Sulfuric-General- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000374	000377	11/18/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Adjusting the Drying Tower and #1 Absorbing Tower Acid Flows, East Sulfuric-Acid System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000378	000381	11/22/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Sample/Analyze Cation Water Unit Hardness, East Sulfuric-Treated/Raw Water System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000382	000385	11/16/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Putting C Anion Water Unit in Service, East Sulfuric-Treated/Raw Water System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000386	000389	11/18/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Adjusting the Acid Cooler Bypass Auto Valves, East Sulfuric-Acid System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000390	000393	11/16/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Continuous Emissions Monitor System (CEMS) Daily Calibration Check, East Sulfuric- General- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie

AGRIUM/CONDA
CBI Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
C	AGR-CBI	000394	000397	11/10/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Adjusting the Liquid Caustic Metering Pump, East Sulfuric-Treated/Raw Water System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000398	000401	11/22/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Transfer from #1 98% Tank to 93% Tank, East Sulfuric-Acid System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000402	000405	11/22/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Controlling the 2000 hp. Booster Blower Inlet Pressure, East Sulfuric-General- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000406	000409	11/16/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Putting D Cation Water Unit In Service, East Sulfuric-Treated/Raw Water System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000410	000413	12/2/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Normal Adjustments to the 125# Steam System, East Sulfuric-General- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000414	000417	11/8/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Filling the Sulfuric Acid Regeneration Tank, East Sulfuric-Treated/Raw Water System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000418	000421	11/17/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Adjusting the Sulfur Feed Flow, East Sulfuric- Sulfur Feed System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000422	000425	11/22/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Sample/Analyze #1 or #2 Return Condensate, East Sulfuric-Treated/Raw Water System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000426	000429	11/8/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Filling the South Caustic Tank, East Sulfuric- Treated/Raw Water System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000430	000433	11/22/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Sample/Analyze Boiler Feed Water Hardness, East Sulfuric-Treated/Raw Water System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie

AGRIUM/CONDA
CBI Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
C	AGR-CBI	000434	000436	11/8/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Filling the Nalco 354 Chemical Tank- Treated/Raw Water System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000437	000441	11/17/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Draining the #2 Waste Heat Boiler Side of the Economizer-General- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000442	000446	11/17/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Draining the #1 Waste Heat Boiler Side of the Economizer-General- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000447	000451	11/8/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Filling the Nalco 7200/Caustic Chemical Tank- Treated/Raw Water System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000452	000455	11/17/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Switching Sulfur Feed Pumps (Normal or Emergency), East Sulfuric-Sulfur System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000456	000458	11/22/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Switching Terry Turbine Oil Coolers, East Sulfuric-General- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000459	000461	11/8/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Resetting of the Cooling Tower Deluge Valve, East Sulfuric-Treated/Raw Water System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	00462	000464	11/9/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Adjusting the Nalco 1720 Chemical Injection Pump, East Sulfuric-Treated/Raw Water System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000465	000468	11/10/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Sample-Analyze Cooling Tower Total Dissolved Solids, East Sulfuric-Treated/Raw Water System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000469	000471	3/9/2005	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Phos Products, Getting the Shuttle Wagon on the Rails, East Sulfuric-General- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie

AGRIUM/CONDA
CBI Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
C	AGR-CBI	000472	000474	11/10/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Adjusting the Sulfuric Acid Metering Pumps, East Sulfuric-Treated/Raw Water System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000475	000477	11/10/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Adjusting the Nalco 354 Chemical Feed Pump, East Sulfuric-Treated/Raw Water System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000478	000480	11/10/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East Sulfuric Adjusting the Nalco 7200 Chemical Feed Pump, East Sulfuric-Treated/Raw Water System- 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000481	000481		File Cover			File cover sheet, "Sulfuric North Plant" (documents located at AGR-CBI 000481- 000720)	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000482	000482		File Cover			Sub-File cover sheet, "Shut Downs" (documents located at AGR-CBI 000482- 000494)	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000483	000485	2/10/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric Boiler, Short Term B-5 shut down 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000486	000489	2/10/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric Boiler, Long Term B-5 shut down 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000490	000492	2/10/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric Boiler, Emergency Term B-5 shut down 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000493	000494	7/15/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, #9 Well Initial Shutdown, #9 shut down 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000495	000495		File Cover			Sub-File cover sheet, "Shut Downs" (documents located at AGR-CBI 000495- 000593)	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000496	000500	2/13/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Potable Water, Put Potable Water System in Service, Initial start up 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie

AGRIUM/CONDA
CBI Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
C	AGR-CBI	000501	000503	2/14/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Sulfuric Acid Storage Area, Start Acid Transfer to East Plant From Tank #1	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000504	000507	2/18/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Emergency Generator	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000508	000511	3/5/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Sulfuric Acid Storage Area, Start south acid feed pump from tank 1 to phos 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000512	000515	3/5/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Sulfuric Acid Storage Area, Start south acid feed pump from tank 7 to phos 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000516	000519	3/5/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Sulfuric Acid Storage Area, Start North acid feed pump from tank 6 to phos 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000520	000523	3/5/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Sulfuric Acid Storage Area, Start North acid feed pump from tank 5 to phos 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000524	000527	3/5/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Sulfuric Acid Storage Area, Start North acid feed pump from tank 3 to phos 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000528	000531	3/5/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Sulfuric Acid Storage Area, Start North acid feed pump from tank 2 to phos 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000532	000535	3/5/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Sulfuric Acid Storage Area, Start North acid feed pump from tank 8 to phos 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie

AGRIUM/CONDA
CBI Document Production Index
In Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
C	AGR-CBI	000536	000539	2/5/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Sulfuric Acid Storage Area, Start North acid feed pump from tank 1 to phos 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000540	000543	2/18/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Compressors, Start Instrument air Compressor	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	00544	000548	2/18/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Raw Water wells, Start #10 Well	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000549	000551	2/20/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Raw Water wells, Start #08 Well	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000552	000554	2/19/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Compressors, Start Plant air Compressor 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000555	000557	2/14/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Sulfuric Acid Storage Area, Start Acid Transfer to East Plant From Tank #7	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000558	000560	2/14/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Sulfuric Acid Storage Area, Start Acid Transfer to East Plant From Tank #8	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000561	000563	2/14/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Sulfuric Acid Storage Area, Start Acid Transfer to East Plant From Tank #6	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000564	000566	2/14/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Sulfuric Acid Storage Area, Start Acid Transfer to East Plant From Tank #3	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000567	000569	2/14/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Sulfuric Acid Storage Area, Start Acid Transfer to East Plant From Tank #2	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000570	000572	2/18/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Treated Water Utilities/Boiler, Start Denim, Pump at East Plant	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000573	000575	2/27/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Boiler, Start B-5 Combustion Blower	RCRA 5	Operations	West, Jerry/ Martinez, Willie

AGRIUM/CONDA
CBI Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
C	AGR-CBI	000576	000578	2/20/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Raw Water Wells, Start #7 well 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000579	00581	2/14/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Sulfuric Acid Storage Area, Start Acid Transfer to East Plant from Tank #5	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000582	000586	2/10/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Boiler, Initial start up of B-5 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000587	000590	6/14/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Neutralization Tank, Start/Operate Neut Tank Pump	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000591	000593	7/15/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, #9 Well Initial Start Up, #9 well 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000594	000594		File Cover			Sub-File cover sheet, "Normal Operations" (documents located at AGR-CBI 000594- 000720)	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000595	000598	2/18/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Treated Water Utilities, Fill or Isolate Regeneration Acid Tank 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000599	000602	2/18/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Compressors, Service The Air Dryers 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000603	000606	2/26/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Returning Steam Headers to Service, Pressure up North Plant 250# steam Header	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000607	000610	2/26/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Returning Steam Headers to Service, Pressure up North Plant 250/125/30# steam Header	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000611	000615	3/24/2005	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Sulfuric Acid Storage Area, Unload Sulfuric Rail Cars to Tank #1, 2, 3, 5, 6, 7, 8	RCRA 5	Operations	West, Jerry/ Martinez, Willie

AGRIUM/CONDA
CBI Document Production Index
In Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
C	AGR-CBI	000616	000620	2/21/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Treated Water Utilities, Refill WAC unit	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000621	000624	2/26/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Returning Steam Headers to Service	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000625	000630	6/5/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Put Potable Water System in Service	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000631	000634	2/26/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Returning Steam Headers to Service	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000635	000638	2/19/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Compressors	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000639	000642	2/7/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Moving Sulfuric Railcars With Track mobile	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000643	000646	2/27/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Boiler	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000647	000650	2/20/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Treated Water Utilities	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000651	000654	2/21/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Treated Water Utilities	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000655	000658	2/13/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Switch Engine, Operating Track Mobile	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000659	000661	2/18/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Sulfuric Acid Storage Area	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000662	000664	2/18/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Treated Water Utilities	RCRA 5	Operations	West, Jerry/ Martinez, Willie

AGRIUM/CONDA
CBI Document Production Index
In Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
C	AGR-CBI	000665	000667	2/18/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Sulfuric Acid Storage Area	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000668	000670	2/18/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Sulfuric Acid Storage Area	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000671	000673	2/18/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Sulfuric Acid Storage Area	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000674	000676	2/18/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Sulfuric Acid Storage Area	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000677	000679	2/18/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Sulfuric Acid Storage Area	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000680	000682	2/18/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Boiler	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000683	000685	3/13/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, #1 Well, Switch to Auxiliary Engine 01	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000686	000688	2/18/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Sulfuric Acid Storage Area	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000689	000691	2/18/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Treated Water Utilities	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000692	000694	2/26/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Steam Valves and Headers	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000695	000696	11/11/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: East/North Sulfuric, Mixing Chemical in Tanks	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000697	000699	2/10/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Boiler	RCRA 5	Operations	West, Jerry/ Martinez, Willie

AGRIUM/CONDA
CBI Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
C	AGR-CBI	000700	000702	2/10/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Boiler	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000703	000705	2/18/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Treated Water Utilities	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000706	000708	2/18/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Treated Water Utilities	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000709	000711	2/27/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Boiler	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000712	000714	2/18/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Treated Water Utilities	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000715	000717	2/18/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Compressors	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000718	000720	6/15/04	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: North Sulfuric, Limestone	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000721	000721		File Cover			File cover sheet, "Dry Products Granulation" (documents located at AGR-CBI 000721- 001171)	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000722	000722		File Cover			Sub-File cover sheet, "Shut Downs" (documents located at AGR-CBI 000722- 000776)	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000723	000726	6/4/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Long Term Shut Down of the Scrubber System	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000727	000729	6/3/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Long Term Shut Down of the Dry System	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000730	000732	6/3/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Long Term Shut Down fro Map and 16-20-0	RCRA 5	Operations	West, Jerry/ Martinez, Willie

AGRIUM/CONDA
CBI Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
C	AGR-CBI	000733	000734	3/21/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Emergency Shut Down of Loading and Unloading Ammonia Railcars and Trucks	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000735	000740	5/20/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Emergency Shut Down for Map and 16-20-0	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000741	000743	3/31/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Shutdown of Bulk Flow Cooler Blower	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000744	000747	8/19/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Long Term Shut Down for Map and 16-20-0	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000748	000751	8/19/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Long Term Shut Down of the Dry System	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000752	000756	8/18/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Normal Shut Down for Map and 16-20-0	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000757	000761	8/19/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Long Term Shut Down of the Scrubber System	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000762	000764	3/21/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Emergency Shut Down of Loading and Unloading Ammonia Railcars and Trucks	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000765	000770	8/19/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Emergency Shut Down for Map and 16-20-0	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000771	000773	8/10/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Normal Shut Down for Map and Back Titration	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000774	000776	8/10/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Long Term Shut Down for Map with Bak Titration	RCRA 5	Operations	West, Jerry/ Martinez, Willie

AGRIUM/CONDA
CBI Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
C	AGR-CBI	000777	000777		File Cover			Sub-File cover sheet, "Start-Ups" (documents located at AGR-CBI 000777-000830)	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000778	000780	8/18/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Starting the Ammonia Pumps	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000781	000783	3/31/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Starting the Bulk Flow Cooler Blower	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000784	000790	8/18/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Normal Start-up for Map and 16-20-0	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000791	000796	8/18/2005	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Start-Up After Turn Around of the Ammonia From the Ammonia Sphere to the Ammonia Vaporizer	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000797	000803	8/19/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Start-UP After Turn Around fro Map and 16-20-0	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000804	000807	8/19/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Start-Up after Turn Around of Ammonia Vaporizer	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000808	000813	8/19/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Start-Up after Turn Around of Dry System	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000814	000817	8/19/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Start-Up after Turn Around of Dryer Scrubber	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000818	000821	8/19/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Start-Up after Turn Around of Wastewater System	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000822	000825	8/19/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Start-Up after Turn Around of Granulator	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000826	000830	8/10/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Normal Start-up for Map with Back Titration	RCRA 5	Operations	West, Jerry/ Martinez, Willie

AGRIUM/CONDA
CBI Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
C	AGR-CBI	000831	000831		File Cover			Sub-File cover sheet, "Normal Operations" (documents located at AGR-CBI 000831- 001053)	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000832	000834	3/7/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Cleaning the Preneutralizer Tank	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000835	000836	5/29/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Depressurizing the Ammonia System	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000837	000840	3/3/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Cleaning the Dryer Scrubber	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000841	000843	5/29/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Purging the Ammonia Sphere	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000844	000846	5/22/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Purging the Ammonia System Inside the Plant	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000847	000850	3/3/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Cleaning the Granulator Scrubber	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000851	000853	12/25/2002	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Trouble Shooting Ammonia Unloading	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000854	000859	6/6/2005	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Loading an Ammonia Truck	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000860	000868	9/20/2005	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Unloading an Ammonia Railcar	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000869	000875	5/31/2005	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Loading an Ammonia Railcar	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000876	000882	8/18/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Normal Operation	RCRA 5	Operations	West, Jerry/ Martinez, Willie

AGRIUM/CONDA
CBI Document Production Index
In Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
C	AGR-CBI	000883	000889	6/6/2005	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Unloading an Ammonia Truck	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000890	000894	4/27/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Bulkflow Cooler Plate Flushing	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000895	000898	8/10/2005	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Purging the Ammonia system from the Ammonia Supply Pumps to the Plant	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000899	000903	4/1/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Monitoring the Upstairs Equipment	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000904	000908	3/3/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Cleaning the Granulator Scrubber	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000909	000913	3/6/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Cleaning the Granulator Scrubber Duct to the Granulator Fan	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000914	000918	3/1/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Loading an Ammonia Farm Tank	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000919	000922	8/19/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Purging the Ammonia System Inside the Plant	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000923	000927	3/7/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Replacing the Granulator Scrubber Panels	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000928	000932	3/2/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Washing the Bulk Flow Cooler	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000933	000937	3/3/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Cleaning the Dryer Scrubber	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000938	000941	2/28/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Cleaning the Dryer Duct from the Dryer Through the Dryer Cyclones	RCRA 5	Operations	West, Jerry/ Martinez, Willie

AGRIUM/CONDA
CBI Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
C	AGR-CBI	000942	000945	3/1/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Cleaning the Dryer Scrubber Duct to the Dryer Fan	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000946	000949	8/19/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Purging the Ammonia Sphere	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000950	000953	5/10/2005	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Accessing and Using the Stack Sampling Platform	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000954	000957	8/19/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Washing the Pipe Cross Reactor	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000958	000961	2/24/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Unloading a Dust Suppressant Truck	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000962	000965	3/7/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Cleaning the Preneutralizer Tank	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000966	000969	2/25/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Cleaning the Granulator Duct from the Head End of the Duct to the Granulator Scrubber	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000970	000973	2/25/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Cleaning the Vent Bag House Duct	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000974	000977	2/25/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Switching to the South Slurry Circulation Pump	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000978	000981	2/25/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Switching to the North Slurry Circulation Pump	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000982	000985	3/2/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Purging the Ammonia Supply Pumps with Steam	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000986	000989	3/11/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Adjusting the Dust Suppressant to the Ribbon Blender	RCRA 5	Operations	West, Jerry/ Martinez, Willie

AGRIUM/CONDA
CBI Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
C	AGR-CBI	000990	000993	3/7/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Running Titrations and Specific Gravities	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000994	000996	5/4/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Shipping	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	000997	001000	2/28/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Switching to the West Pipe Cross Reactor Feed Pump	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001001	001004	2/24/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Switching to the North Dryer Scrubber Transfer Pump	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001005	001008	2/28/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Switching to the East Pipe Cross Reactor Feed Pump	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001009	001012	2/24/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Switching to the Wet Preneutralizer Transfer Pump	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001013	001016	3/14/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Preparing the West Preneutralizer Tank Transfer Pump for Start Up	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001017	001020	3/14/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Preparing the East Preneutralizer Tank Transfer Pump for Start Up	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001021	001024	2/27/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Preparing the West Pipe Cross Reactor Feed Pump for Start Up	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001025	001028	2/24/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Switching to the South Dryer Scrubber Transfer Pump	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001029	001032	3/18/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Resetting the Ammonia Vapor Excess Flow Valve	RCRA 5	Operations	West, Jerry/ Martinez, Willie

AGRIUM/CONDA
CBI Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
C	AGR-CBI	001033	001036	4/9/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Switching and Putting the Preneutralizer Transfer Pump Lines on Wash	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001037	001040	3/3/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Cleaning the Dryer	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001041	001043	2/25/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Preparing the North Slurry Circulation Pump for Start Up	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001044	001047	3/18/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Bleeding Off the Ammonia Unloading Compressor Separator Pot	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001048	001050	8/19/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Depressurizing the Ammonia System	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001051	001053	8/18/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Bleeding Off the D.P. Cell on the Ammonia to the Pipe Cross Reactor	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001054	001054		File Cover			Sub-File cover sheet, "Normal Operations" (documents located at AGR-CBI 001054- 001171)	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001055	001058	3/11/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Replacing the Bag House Bags	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001059	001062	2/27/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Preparing the East Pipe Cross Reactor Feed Pump for Start-Up	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001063	001066	3/11/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Feeding Grade Control Media for 16-20-0	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001067	001070	3/3/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Cleaning the Cage Mills	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001071	001073	6/9/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Cleaning the Granulator	RCRA 5	Operations	West, Jerry/ Martinez, Willie

AGRIUM/CONDA
CBI Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
C	AGR-CBI	001074	001076	3/26/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Putting the Vent Bag House in Service	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001077	001079	3/13/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Draining the Preneutralizer Tank for Start Up	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001080	001083	2/24/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Switching to the East Preneutralizer Transfer Pump	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001084	001086	3/12/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Cleaning the Granulator Scrubber Pump Tank Primary Pot	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001087	001089	3/24/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Preparing the Fertilizer Feed Stock Valves for A 16-20-0 Run	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001090	001092	2/25/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Preparing the South Slurry Circulation Pump for Start Up	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001093	001095	3/11/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Running a Product Screen Analysis	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001096	001098	3/26/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Running a pH on the Scrubber and Preneutralizer Water	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001099	001101	3/11/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Preparing the Dust Suppressant to the Ribbon Blender for Start Up	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001102	001104	12/25/2002	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Preparing the North Dryer Scrubber Pump Tank Transfer Pump for Start Up	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001105	001107	3/13/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Preparing the South Dryer Scrubber Pump Tank Transfer Pump for Start Up	RCRA 5	Operations	West, Jerry/ Martinez, Willie

AGRIUM/CONDA
CBI Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
C	AGR-CBI	001108	001110	3/27/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Bleeding Off the D.P. Cell on the Ammonia to the Pipe Cross Reactor	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001111	001113	3/26/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Preparing the Fertilizer Feed Stock to Go to Tank #21	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001114	001116	3/25/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Preparing the Fertilizer Feed Stock to Go to Scrubber Pump Tanks	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001117	001119	3/7/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Cleaning the Granulator Discharge Chute	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001120	001122	4/10/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Taking Gravities on the Incoming Acids	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001123	001125	3/29/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Cleaning Gran Grizzly	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001126	001128	3/27/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Bleeding Off the D.P. Cell on the Ammonia to the Prenuet Tank	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001129	001131	3/22/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Lighting the Dryer Furnace Burners	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001132	001134	3/26/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Preparing the Fertilizer Feed Stock to go to Tank #21 for Grade Control	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001135	001137	3/31/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Normal Operation Check of the Bulk Flow Cooler Blower	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001138	001140	4/9/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Flushing the Ammonia Vaporizer Condensate Circulation Line Screen	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001141	001143	3/24/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Checking the Dryer Cycones	RCRA 5	Operations	West, Jerry/ Martinez, Willie

AGRIUM/CONDA
CBI Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
C	AGR-CBI	001144	001146	3/2/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Cleaning the Magnet on the Dryer Discharge Belt	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001147	001149	3/31/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Weekly Wash Day Check of the Bulk Flow Cooler Blower	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001150	001152	4/9/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Blowing Down the Ammonia Vaporizer	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001153	001155	3/12/2003	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Cleaning the Primary Pot on the Dryer Scrubber Pump Tank	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001156	001158	1/12/2005	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Steaming the Trim Acid Line with Back Titration	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001159	001164	8/10/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Normal Operation with Back Titration	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001165	001168	8/10/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Washing the Pipe Cross Reactor with Back Titration	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001169	001171	1/6/2005	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Granulation, Washing the Trim Acid Line with Back Titration	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001172	001172		File Cover			File cover sheet, "Dry Products Shipping" (documents located at AGR-CBI 001172- 001311)	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001173	001173		File Cover			Sub-File cover sheet, "Shut-Downs" (documents located at AGR-CBI 001173- 001191)	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001174	001176	6/8/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Shipping, Starting Up the Control Board to stack fines	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001177	001178	6/8/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Shipping, Shut down Reclaim system	RCRA 5	Operations	West, Jerry/ Martinez, Willie

AGRIUM/CONDA
CBI Document Production Index
in Response to 8/31/05 EPA Info. Request

EXHIBIT	BATES PREFIX	BEG BATES	END BATES	DATE	DOC TYPE	AUTHOR	RECIPIENT	DESCRIPTION	REQUEST NO.	LOCATION	ORIGINAL CUSTODIAN
C	AGR-CBI	001179	001181	6/29/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Shipping, Shut down of the Control Board to stack fines	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001182	001183	6/8/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Shipping, Shut down of the Control Board (North System)	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001184	001185	6/8/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Shipping, Shut down of the Control Board (South System)	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001186	001188	6/29/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Shipping, Shut down of the Control Board to stack fines (North System)	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001189	001191	6/24/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Shipping, Shut down of ARR-MAZ system	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001192	001192		File Cover			Sub-File cover sheet, "Start-Ups" (documents located at AGR-CBI 001192-001208)	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001193	001195	6/8/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Shipping, Starting Up the Control Board (North System)	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001196	001197	6/28/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Shipping, Startup of ARR-MAZ system	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001198	001200	6/29/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Shipping, Starting up the Control Board to load fines into truck or hopper car (North system)	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001201	001203	6/8/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Shipping, Starting up the Control Board (South System)	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001204	001206	6/29/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Shipping, Starting up the Control Board to stack fines (South System)	RCRA 5	Operations	West, Jerry/ Martinez, Willie
C	AGR-CBI	001207	001208	6/9/2004	SOPs	Agrium Conda Phosphate Operations		Standard Operating Procedures: Shipping, Starting up the Reclaim System	RCRA 5	Operations	West, Jerry/ Martinez, Willie